This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problems Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A61B 17/56
A1
(11) International Publication Number: WO 98/46153
(43) International Publication Date: 22 October 1998 (22.10.98)

(21) International Application Number: PCT/US98/07080

(22) International Filing Date: 10 April 1998 (10.04.98)

(30) Priority Data:
08/834,055 11 April 1997 (11.04.97) US

(71) Applicant: KINAMED, INC. [US/US]; 2192-C Anchor Court, Newbury Park, CA 91320-1603 (US).

(72) Inventors: BRUCE, Robert; 2192-C Anchor Court, Newbury Park, CA 91320-1603 (US). ZELLEM, Robert, T.; Suite 421, 610 West Due West Avenue, Madison, TN 37155 (US).

(74) Agents: HARRIS, Michael, D. et al.; Oppenheimer Wolff & Donnelly LLP, Suite 3800, 2029 Century Park East, Los Angeles, CA 90067 (US).

(81) Designated States: AU, BR, CA, JP, KR, MX, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


Published

With international search report.

(54) Title: BURR HOLE COVER FOR CRANIAL SURGERY

(57) Abstract

The burr hole cover (80) includes a thin plate having radial arms (86–91) in an exemplary embodiment. Each arm has a distal end opening (96) for receiving a fastener for attaching the plate to the cranium. An enlarged access passageway (104) through the plate, preferably at the plate's center, provides a passageway for an intracranial monitoring tube. The passageway is elongated to allow the tube to pass through the burr hole cover at a gentle angle.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	· SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΛT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	ΙL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL.	Poland		
CN	China	KR	Republic of Korea	РТ	Portugal		
CU	Cuba	КZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

BURR HOLE COVER FOR CRANIAL SURGERY

TECHNICAL FIELD

The present invention relates to a burr hole cover that may be used for providing cranial access to an intracranial monitoring tube following cranial surgery.

5

10

15

20

BACKGROUND OF THE INVENTION

Cranial surgery requires access to a specific area of the brain. To gain such access, the surgeon must form a brain access flap in the cranium of the patient. Typically, the surgeon drills three spaced burr holes through the cranium at the apexes of an imaginary triangularly shaped access area. Because of the curvature of the cranium, the access flap is not a true planar triangle. The flap also may not be triangular but may be rectangular or be other polygonal or irregular shapes. If the access flap has more than three apexes, the surgeon usually drills a burr hole at each apex. Some surgeons use a single burr hole.

After cutting the burr holes, the surgeon then cuts though the cranium using a high-speed cutting tool. The tool has a guard that is inserted in the burr hole under the bone and above the dura. The surgeon then cuts through the cranial bone. When the surgeon uses multiple burr holes, the cuts extend between the burr holes to form a removable cranial flap. Surgeons using a single burr hole cut the flap freehand in a pattern out from the hole and then returning to the hole. Once the surgeon has formed the flap, he or she carefully removes the flap to provide the necessary access to the brain.

25

These surgical procedures involve forming holes and gaps in the cranium to expose the brain. Therefore, each surgical operation requires a closing procedures to reattach the flap and to cover the burr holes. Burr

-2-

hole covers that cover the burr hole and attach the flap are known. The Leibinger E-Z Flap is an example of such a burr hole cover. See also FIG. 1, which depicts a prior art burr hole cover. Although described in more detail in the "Detailed Description of the Exemplary Embodiments," prior art burr hole covers are described briefly here.

Burr hole covers consist of titanium and have a shape similar to some types of snow flakes. Some have a central body with five or six projecting arms. The distal ends of the arms usually have screw-receiving openings through which a cranial bone screw extends to attach the cover to the cranium. Some covers have very short arms extending from a larger central body. In others, screw-receiving openings are at the periphery of the central body so that the cover essentially has no arms. Often the arms or the screw-receiving openings are asymmetrically spaced. The asymmetry allows the surgeon to rotate the cover until all screw holes can be over good bone. The cover also has openings that speed healing.

15

20

25

30

Cranial surgery procedures sometimes require the monitoring of intracranial pressures following surgery. In this regard, the surgeon typically inserts a monitoring tube next to the burr hole cover. This tube then remains in place for a sufficient period of time to complete the monitoring purposes. Monitoring typically takes from a few days to a week or more. When the patient no longer requires monitoring, the surgeon pulls the tube from the cranial cavity. Both the insertion and removal of the tube presents problems. The tube contains delicate fiber optics that can break easily if the tube bends during placement. The fiber optics also can break while the tube is in place over the course of several days. Also, the tube may snag and become stuck when removed. Therefore, having a new and improved burr hole cover that eases the placement, protection and removal of an intracranial monitoring tube safely and efficiently is highly desirable.

Another problem with prior art burr hole covers is that they project above the normal cranial surface. Though the projection may be slight,

-3-

some patients can feel the cover through the scalp with their fingers. Making the transition from the cover to the cranial bone as gradual as possible is desirable.

5 SUMMARY OF THE INVENTION

10

15

20

30

Therefore, the principal object of the present invention is to provide a new and improved burr hole cover that facilitates the placement and removal of an intracranial monitoring tube.

Another object of the present invention is to provide a new and improved burr hole cover that substantially reduces or eliminates cosmetic deformities from the covers.

Briefly, the present invention's burr hole cover includes a thin plate having a plurality of distal screw-receiving openings about its periphery or at the ends of radial arms. Each screw-receiving opening can receive a fastener for the rigid fixation of the cover to the cranium or to a flap of cranial bone being replaced after surgery. An enlarged, elongated access opening through the plate near the center of the cover provides a passageway for an intracranial monitoring tube. Beveled edges surround the access passageway to allow the monitoring tube to lie against the outside of the cover without passing over a sharp edge in the cover. The elongated nature of the access passageway also allows the tube to lie flat. The burr hole cover's edges are beveled for a smooth transition between the cover and the cranium.

25 BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a top plan view of a prior art burr hole cover.
- FIG. 2 is a top plan view illustrating one exemplary embodiment of the present invention.
- FIG. 3 is a cross-sectional view of the cranial bone cover of FIG. 3 taken substantially through plate 3-3 in FIG. 3.

-4-

FIG. 4 is a pictorial view illustrating four burr hole covers fixing a cranial flap to the cranium.

FIG. 5 is a diagrammatic view of intracranial monitoring system, illustrating its use with the burr hole cover of the present invention.

5

10

15

20

25

DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

FIG. 4, which shows a patient following surgery, illustrates the type of surgery with which one uses the burr hole cover of the present invention. For access to the brain, the surgeon typically drills one or more burr holes. In the FIG. 4 illustration, the surgeon had drilled four burr holes. Although the holes themselves are not visible in FIG. 4, they are under the burr hole covers 20. FIG. 5 shows such a burr hole 11.

After drilling the holes, the surgeon uses a high-speed drill with a rotating cutter to cut the cranium between the burr holes. Normally, the high-speed cutter has a guard that is inserted through the burr hole and against the dura. The guard protects the dura and brain from the cutting blade. When finished cutting between all burr holes, the surgeon removes the cranial flap 12 from the rest of the cranium 14 for access to the brain. Some surgeons use a single burr hole and use the high-speed cutter to cut a freehand flap.

After the surgery on the brain is finished, the surgeon replaces the flap 12. As is known, the surgeon fixes the flap with burr hole covers 20 over each burr hole (FIG. 4). FIG. 5 shows how burr hole cover 20 fits over the burr hole. The surgeon rotates the cover such that two or three screw openings 22 at the distal ends of arms 24 are over good bone of the flap 12. The remaining screw holes are over the remaining cranial bone 14. Screws (not shown) are then inserted through the screw openings 22, and the burr hole cover is fastened to the flap 12 and the rest of the cranium 14. That fixes the flap to the rest of the cranium. Though not shown, the

surgeon may use additional fasteners along the edge between the flap 12 and the remaining cranium 14 to help secure the flap and cranium together.

FIG. 1 shows a prior art burr hole cover 60. The cover 60 includes a generally round and low profile plate 62. The plate has a centrally disposed burr hole ventilation aperture or hole 62. The cover 60 also includes six space apart arms 66-71. Screw holes 74 extend through the distal end of each arm. As FIG. 1 shows, arms 69-71 are larger than arms 66-68. Therefore, the burr hole cover 60 is asymmetrical.

Burr hole covers may achieve asymmetry in other ways. Instead of having six equally-spaced arms, there can be five arms. Although other numbers of arms may work, five or six arms are best. Also, irrespective of the number of arms, the arms need not be equally spaced. Asymmetry allows the surgeon to align the screw openings 74 with good bone of the flap 12 and the intact cranium 14. Changing the position of the screw openings 74 can avoid the edges of the cranial flap 12. By having the screw openings 74 at the end of arms 66-71, the surgeon can shape the burr hole cover to match the contours of the cranium.

10

15

20

25

30

FIG. 1 shows one type of burr hole cover with arms 66-71. The cover may not have distinct arms. If so, the screw-receiving openings would be along the outside of the central section 62 of the cover.

Burr hole cover 60 also has spaced-apart vent slots 76 (FIG. 1) along with its centrally-located vent hole 64. The cover also may have additional holes or slots. The vent slots and holes facilitate healing.

FIG. 2 shows an exemplary embodiment of the present invention. There, the burr hole cover 80 is asymmetrical. Its left side portion 82 is larger than the right side portion 84. In the drawings, left and right are relative. Rotating the cover 80 180° reverses the right and left sides. The burr hole cover 80 includes a set of arms 86-91 extending from the central region 92. One would not see distinct arms if there were no spaces 94 extending into the central region 92.

-6-

Each arm has a distal end fastener receiving hole 96 and vent slots 98-103. The slots may be of different sizes. Compare slot 102 with slot 99 or 103. Slots improve patient healing and can be used to control the arms' rigidity to conform to the contour of the cranium.

The burr hole cover 80 (FIG. 2) includes a large centrally disposed monitoring tube receiving slot 104. To accommodate monitoring slot 104, some vent slots may be smaller than others. Thus, vent slot 102 in the FIG. 2 exemplary embodiment is smaller than the adjacent vent slot2 103 or 101. Since slot 99 is already small and is the same size as adjacent slots 98 and 100, it is not made smaller.

5

10

15

20

25

30

The asymmetry means that the surgeon can rotate the burr hole cover 80 (about an axis through the page) to achieve better positions of some screw holes 96 relative to the cranial flap 12 and the remaining cranial bone 14. Therefore, no screw-receiving opening 96 is too close to the edge between the flap and the cranium. This leaves enough space on the bone away from an edge for the screw to hold the bone properly. The surgeon also can position the screw-receiving openings advantageously to "good" bone. With the FIG. 2 embodiment, the screw-receiving openings 96 on the smaller right side of the burr hole cover would attach to the flap 12. The screw-receiving openings on the left side would attach to the remaining cranial bone 14.

Each screw-receiving opening 74 is similar to each other. As FIG. 3 shows, screw-receiving opening 96 includes a tapered recess 120 at an upper surface 122 of the arm 88. The screw-receiving opening also has a cylindrical recess 124 at a lower surface 126 of the arm 88. The tapered recess 120 and the cylindrical recess 124 intersect at an inner lip 128 and are aligned along a common longitudinal axis 130.

The arm 88 has smooth beveled edges, such as the edge 132 (FIG. 3). The beveled edge 132 includes successively a smooth rounded portion 134 that commences at the upper surface 136, an intermediate

straight portion 138, and another smooth rounded portion 140 that terminates at the lower surface 126 of the arm. The periphery of the burr hole cover also has rounded or beveled edges. Smooth edges help reduce patient discomfort from contact by the scalp tissue. The beveled edges also make the burr hole cover 80 less noticeable to the touch once the healing process has been completed. Other types of cranial surgical devices have used rounded as opposed to beveled edges, but they are more noticeable to the touch.

5

10

15

20

25

FIG. 5, shows an intracranial monitoring system 30 that includes a monitoring tube 32. The tube terminates in a transducer (not shown) that rests inside the cranium. The transducer transmits data through a fiber optic cable within monitoring tube 32. It is important that the tube not bend too much, or the fiber optic cable will be damaged. The previously-mention elongated aperture 104 accommodates the monitoring tube 32. Because the intracranial monitoring tube receiving aperture 104 is elongated, the monitoring tube 32 passes through the burr hole cover at a gentle angle. Accordingly, it does not bend sharply. Further, the slot-like shape for the aperture 104 aligns the monitoring tube 32 and allows the tube to pass through the burr hole cover at a gentle angle.

The elongated aperture 104 has a sloped sidewall 106 (FIG. 2). The sloped sidewall allows monitoring tube 32 to lie flat along the outside of the aperture 104. More complex shapes for the sloping are contemplated. For example, one normally would not want a sharp edge at the intersection between the sloped sidewall 106 and either the top or bottom surface of the burr hole cover. Internal sharp edges in the sloped sidewalls also should be avoided.

Eventually, the surgeon removes the monitoring tube. If it catches on the intracranial monitoring tube receiving aperture 104, the tube would pull on the burn hole cover. That could cause pain or discomfort.

-8-

Fortunately, the elongated nature of the aperture 104 allows the tube to be removed at a gentle angle without catching on the aperture.

The tube receiving aperture 104 is centrally located on burr hole cover 20 in the exemplary embodiment. Although not a preferred embodiment, the aperture could be off-center or partially along an arm. One could modify the arm's size or shape to accommodate such an aperture.

5

Many modifications and alternate embodiments will occur to those skilled in the art. Therefore, applicants intend that the invention is limited only in terms of the appended claims.

-9-

I claim:

- A burr hole cover, comprising:

 a thin plate for covering a surgically formed cranial burr hole; and
 an enlarged intracranial monitoring tube receiving aperture through

 the thin plate for providing an unobstructed passage for an intracranial monitoring tube device.
- 2. A burr hole cover according to claim 1, wherein the monitoring tube receiving aperture is centrally located in the plate.

3. A burr hole cover according to claim 2, wherein the monitoring tube receiving aperture is an elongated slot.

4. A burr hole cover according to claim 3, wherein the thin plate has a top surface for facing away from the bone and a bottom surface, the elongated slot forming the monitoring tube receiving aperture has a side wall, the outside dimension of the side wall being larger near the top surface of the thin plate than the outside dimension of the side wall near the bottom surface.

20

25

10

- 5. A burr hole cover according to claim 1, wherein the thin plate has a top surface for facing away from the bone and a bottom surface, the elongated slot forming the monitoring tube receiving aperture has a side wall, the outside dimension of the side wall being larger near the top surface of the thin plate than the outside dimension of the side wall near the bottom surface.
- 6. A burr hole cover according to claim 1 further comprising a plurality of arms extending radially outwardly from the plate, the distal end

20

25

of each arm having an end openings, wherein at least one arm has vent slot disposed proximal to the distal end opening.

- 7. A burr hole cover according to claim 1, wherein the plate has
 5 a periphery, the periphery having beveled edges.
 - 8. A burr hole cover according to claim 1, wherein the plate has a periphery, the periphery having rounded edges.
- 9. A method for securing a cranial flap within a surgically formed flap hole within an intact portion of the cranium, the edge between the cranial flap and the intact portion of the cranium having a burr hole, the method comprising:

positioning the cranial flap within the surgically formed flap hole;
and


positioning a burr hole cover over the burr hole, the burr hole cover having:


a thin plate for covering a surgically formed cranial burr hole; and


an enlarged intracranial monitoring tube receiving aperture through the thin plate for providing an unobstructed passage for an intracranial monitoring tube device;

securing the burr hole cover to the cranial flap and intact portions of the cranium over; and;

inserting an intracranial monitoring tube into the intracranial monitoring tube receiving aperture.







SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

International application No. PCT/US98/07080

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61B 17/56 US CL :606/69 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 606/69 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS Search Terms: intracranial, monitor, bone, skull, plate								
C. DOCUMENTS CONSIDERED TO BE RELEVANT								
Category* Citati	on of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.					
X US 5,5	578,036 A (STONE et al) 26 No	ovember 1996, all.	1-2, 6, 8					
Y			3-5, 7, 10					
X US 5,2	US 5,201,737 A (LEIBINGER et al) 13 April 1993, all.							
Y			3-5, 7, 10					
X US 4,5	503,848 A (CASPER et al) 12 M	1-5, 7, 8						
X US 1,	105,105 A (SHERMAN) 28 July	1, 6-8 5						
Further documents are listed in the continuation of Box C. See patent family annex.								
"A" document definito be of particul "B" carlier document "L" document which cited to establis	t published on or after the international filing date n may throw doubts on priority claim(s) or which is h the publication date of another citation or other	date and not in conflict with the app the principle or theory underlying the "X" document of particular relevance; the considered novel or cannot be considered when the document is taken alone	ar relevance; the claimed invention cannot be					
O document references.	ring to an oral disclosure, use, exhibition or other	considered to involve an inventive combined with one or more other suc being obvious to a person skilled in	n step when the document is in documents, such combination					
the priority date	document published prior to the international filing date but later than '&' document member of the same patent family the priority date elaimed							
Date of the actual completion of the international search 10 JUNE 1998 Date of mailing of the international search report 06. JUL, 1998								
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 DAVID O. REIP								
Facsimile No. (703) 305-3230 / Telephone No. (703) 308-3383								